

# Supersonic Wall Panel




AKUART

# Box Content




1 x PANEL





2 x MOUNTING BRACKETS


# Tools Needed to Install




1 x SPIRIT LEVEL



1 x POWER DRILL




1 x SCREWDRIVER




NB: SCREWS AND WALL PLUGS ARE NOT INCLUDED

# Step 01




# Step 02




# Step 03

NOTE: Use the most appropriate screws for your wall type.




# Step 04

RECOMMENDED: On uneven walls, or for a more secure mount, it is possible to fix the panel to the wall following the next steps.





# Step 05




# Step 06


Drill two holes through the aluminium profile into the wall. Ø = Plug size.



# Step 07




# Step 08




# Step 09

Insert the keder edges of the canvas into the profile track. When properly fitted, the keder will not be visible. Start by securing one corner (top left), then move diagonally to the opposite corner (bottom right). Repeat the process from the top right corner. Use plastic card to hold the canvas in place, this helps prevent it from slipping out of the track.




# Step 10

Insert the keder of the canvas into the profile track at the centre of each side. This ensures an even distribution of fabric without unnecessary tension.




# Step 11

Continue inserting the canvas vertically from the centre towards each corner. Work gradually and avoid stretching the keder or fabric.




# Step 12

Repeat the process for the top, bottom, always starting from the centre and moving outward.




# Step 13

Gently press the remaining fabric into the side profile tracks. The canvas should sit evenly in the frame, tight and uniform, with no wrinkles or sagging.




# Step 14

Repeat the process for the top and bottom profile tracks. The canvas should sit evenly in the frame, tight and uniform, with no wrinkles or sagging.




# Step 15

Smooth out any excess canvas fabric in the profile track using the plastic card. The canvas should sit tight and even.



# Step 16

The canvas is now securely mounted. Check that all edges are properly inserted and the surface appears smooth and even. The canvas should sit evenly in the frame, tight and uniform, with no wrinkles or sagging.



Need Support?
+45 27 50 82 90

More about the Supersonic Wall Panel:
www.akuart.com/product/supersonic-wall-panel/

AKUART